

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.12.2021


Revision: 21.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *ARDAP Fogger Flea Fumigator*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Biocide - PT 18
Insecticide
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ardap Care GmbH
Franzstr. 95
D-46395 Bocholt
Tel.: +49 (0) 2871 -2487-0 | Fax: -66
Internet: www.ardapcare.com
E-mail: info@ardapcare.com
- **Further information obtainable from:**
Sales Department (via central phone number)
Tel.: +49 (0) 2871 -2487-0
- **1.4 Emergency telephone number:**
Central phone number
Tel.: +49 (0) 2871 -2487-0

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
STOT SE 3 H336 May cause drowsiness or dizziness.
Aquatic Acute 1 H400 Very toxic to aquatic life.
Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**

GHS02 GHS07 GHS09
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane
Propan-2-ol
- **Hazard statements**
H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
H336 May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P260 Do not breathe vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 1)

- P312 Call a POISON CENTER/doctor if you feel unwell.
 P391 Collect spillage.
 P405 Store locked up.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
 P501 Dispose of container with content as special waste.

Additional information:

Contains Permethrin (ISO), Chrysanthemum cinerariaefolium extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical carbon dioxide. May produce an allergic reaction.

Without sufficient ventilation formation of explosive mixtures may be possible.

Give only emptied container to the recycling.

Contains biocidal products: Permethrin (ISO), Chrysanthemum cinerariaefolium extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical carbon dioxide, pyriproxyfen

2.3 Other hazards**Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures**Description:**

Mixture of organic solvents, propellant (LPG), biocidal active ingredients, fragrance.

contains: 1,0 g/kg Chrysanthemum cinerariaefolium extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical carbon dioxide, 6.7 g/kg Permethrin; 0.4 g/kg Pyriproxyfen

Dangerous components:

CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27	Isobutane (< 0,1 % 1,3-butadiene) ⚠ Flam. Gas 1A, H220; Press. Gas (Liq.), H280	50-100%
CAS: 64742-49-0 EC number: 921-024-6 Reg.nr.: 01-2119475514-35	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	2.5-<10%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	Propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	2.5-<10%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43	ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319	2.5-<5%
CAS: 52645-53-1 EINECS: 258-067-9	Permethrin (ISO) ⚠ Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=1000); ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317	0.67%
CAS: 95737-68-1 ELINCS: 429-800-1	pyriproxyfen ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.04%
CAS: 89997-63-7 EINECS: 289-699-3	Chrysanthemum cinerariaefolium extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical carbon dioxide ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317	0.1%
CAS: 51-03-6 EINECS: 200-076-7	piperonyl butoxide / PBO ⚠ Aquatic Chronic 2, H411	1 - 2%

(Contd. on page 3)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 2)

· **Additional information:**

For the wording of the listed hazard phrases refer to section 16.
EC-Numbers beginning with "9" are numbers given by ECHA for the purpose of registration according REACH. Eventually mentioned CAS-numbers valid for countries which are not subject to the REACH regulation or in regulations not yet updated with the new naming convention for hydrocarbon solvents.

* **SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information:**

Take affected persons out into the fresh air.
Do not leave affected persons unattended.
Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Wash with water and soap

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:**

If product is swallowed (normally not possible) DO NOT induce vomiting. DANGER OF ASPIRATION. Search for medical help..

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture** Risk of bursting in case of fire heat

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear fully protective suit.

· **Additional information** Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin / eyes and inhalation.

Keep sources of ignition (flames, sparks, etc.) away. Do not use engines near by (potential source of ignition)

Ensure adequate ventilation

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Open and handle receptacle with care.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 3)

Do not eat, drink or smoke when using the product.

Wash hands after using the product.

· Information about fire - and explosion protection:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

· 7.2 Conditions for safe storage, including any incompatibilities**· Storage:****· Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Recommended storage temperature: 15 - 35°C, max. 50°C**· 7.3 Specific end use(s) No further relevant information available.****SECTION 8: Exposure controls/personal protection****· 8.1 Control parameters****· Additional information about design of technical facilities:** No further data; see item 7.**· Ingredients with limit values that require monitoring at the workplace:****64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane**TWA (8H) (Great Britain) Long-term value: 1000 mg/m³, 250 ppm**67-63-0 Propan-2-ol**WEL (Great Britain) Short-term value: 1250 mg/m³, 500 ppm
Long-term value: 999 mg/m³, 400 ppm**64-17-5 ethanol**WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm**110-54-3 n-hexane**WEL (Great Britain) Long-term value: 72 mg/m³, 20 ppmIOELV (EU) Long-term value: 72 mg/m³, 20 ppm**· DNELs****64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane**Oral DNEL Endverbraucher/ Consumers / 699 mg/kg BW/day (.)
ConsommateurDermal DNEL - Endverbraucher/ Consumers / 699 mg/kg BW/day (.)
Consommateur699 mg/kg BW/day (hum)
DNEL Arbeiter / Workers/ Travailleur 773 mg/kg BW/day (.)Inhalative DNEL Endverbraucher/ Consumers / 608 mg/m³ (.)
ConsommateurDNEL Arbeiter / Workers/ Travailleur 2,035 mg/m³ (.)**67-63-0 Propan-2-ol**Oral DNEL Endverbraucher/ Consumers / 26 mg/kg BW/day (.)
Consommateur
chronische Exposition, Systemische Wirkungen/
chronic Exposition, systemic effects/ Chronique
Exposition, Systémique Effets
Overall assessment factor (AF): 2

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 4)

Dermal	DNEL - Endverbraucher/ Consumers / Consommateur	319 mg/kg BW /day (.) chronische Exposition, Systemische Wirkungen/ chronic Exposition, systemic effects/ Chronique Exposition, Systématique Effets Overall assessment factor (AF): 2
	DNEL Arbeiter / Workers/ Travailleur	888 mg/kg BW /day (.) chronische Exposition, Systemische Wirkungen/ chronic Exposition, systemic effects/ Chronique Exposition, Systématique Effets Overall assessment factor (AF): 1
Inhalative	DNEL Endverbraucher/ Consumers / Consommateur	89 mg /m3 (.) chronische Exposition, Systemische Wirkungen/ chronic Exposition, systemic effects/ Chronique Exposition, Systématique Effets Overall assessment factor (AF):2
	DNEL Arbeiter / Workers/ Travailleur	500 mg /m3 (.) chronische Exposition, Systemische Wirkungen/ chronic Exposition, systemic effects/ Chronique Exposition, Systématique Effets Overall assessment factor (AF): 1

64-17-5 ethanol

Oral	DNEL Endverbraucher/ Consumers / Consommateur	87 mg/kg BW/ day (.) systemische Wirkung
Dermal	DNEL - Endverbraucher/ Consumers / Consommateur	206 mg/kg BW /day (.) systemische Wirkung
	DNEL Arbeiter / Workers/ Travailleur	343 mg/kg BW /day (.) systemische Wirkung

· **Additional Occupational Exposure Limit Values for possible hazards during processing:**

110-82-7 cyclohexane

WEL (Great Britain)	Short-term value: 1050 mg/m ³ , 300 ppm Long-term value: 350 mg/m ³ , 100 ppm
IOELV (EU)	Long-term value: 700 mg/m ³ , 200 ppm

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

Measurement of the concentration must be done in accordance with DIN EN 482 and DIN EN 689.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

Keep away from foodstuffs, beverages and feed.

· **Respiratory protection:**

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Recommended filter type: A

· **Protection of hands:**

· **Material of gloves**



If contamination is possible, use gloves made of nitrile according EN 374

· **Penetration time of glove material** > 480 min / 0,4 mm thickness

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 5)

· Eye protection:



Safety glasses in case of spittings

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Aerosol
· Colour:	Colourless
· Odour:	lemon-like
· Odour threshold:	Not determined.

· pH-value: Not determined.

· Change in condition

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	-11 °C value concerns to propellant

· Flash point: <-30 °C
concerns to solvent

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 250 °C

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Risk of bursting at temperatures > 50°C. Damage of the container may lead to the formation of explosive mixtures of gas/vapors with air.

· Explosion limits:

· Lower:	1 Vol %
· Upper:	12 Vol %

· Vapour pressure: Not determined.

· Pressure (20°C) 2 - 4 bar

· Density at 20 °C: 0.60 - 0.61 g/cm³

· Relative density Not determined.

· Vapour density Not determined.

· Evaporation rate Not applicable.

· Solubility in / Miscibility with water:

Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

· Dynamic:	Not determined.
· Kinematic:	Not determined.

· Solvent content:

· Organic solvents:	ca. 20 %
· VOC (EC)	99.00 %

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 6)

· 9.2 Other information

Additional information

Vapors are heavier than air.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Risk of bursting at temperatures >50°C.
- **10.3 Possibility of hazardous reactions**
By use or incidental release the formation of explosive vapor/air mixtures is possible.
- **10.4 Conditions to avoid**
Avoid the use in the near of ignition sources.
Temperatures >50°C
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:** Stable for a storage time of min. 24 months

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:****75-28-5 Isobutane (< 0,1 % 1,3-butadiene)**

Inhalative LC50/4 h >20 mg/l (rat)

64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

Inhalative LC50/4 h >25 mg/l (rat)

67-63-0 Propan-2-ol

Oral LD50 5,045 mg/kg (rat)

Dermal LD50 12,800 mg/kg (rabbit)

Inhalative LC50/4 h 30 mg/l (rat)

64-17-5 ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50/4 h 20,000 mg/l (rat)

52645-53-1 Permethrin (ISO)

Inhalative LC50/4 h 2.3 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** low
- **Serious eye damage/irritation** low
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 7)

· **Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****64742-49-0 Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cycloalkanes, <5% n-hexane**

LC 50 / 96 h <10 mg / l (fis)

64-17-5 ethanol

LC 50 / 96 h 8,150 mg / l (gol)

89997-63-7 Chrysanthemum cinerariaefolium extract from open and mature flowers of Tanacetum cinerariifolium obtained with supercritical carbon dioxide

EC 50 / 48h 12 mg / l (daphnia)

LC 50 / 96 h 0.0052 mg / l (Regenbogenforelle / Rainbow trout)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **Ecotoxicological effects:**· **Remark:** Very toxic for fish· **Additional ecological information:**· **General notes:**

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation**

empty cans: material recycling

filled cans: remove in accordance with local regulations

· **European waste catalogue**

16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST

16 05 00 gases in pressure containers and discarded chemicals

16 05 04* gases in pressure containers (including halons) containing hazardous substances

· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information**· **14.1 UN-Number**· **ADR, IMDG, IATA**

UN1950

· **14.2 UN proper shipping name**· **ADR**

1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 8)

<ul style="list-style-type: none"> · IMDG · IATA 	<p>AEROSOLS (Permethrin (ISO)), MARINE POLLUTANT AEROSOLS, flammable</p>
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR 	
<ul style="list-style-type: none"> · Class · Label 	<p>2 5F Gases. 2.1</p>
<ul style="list-style-type: none"> · IMDG 	
<ul style="list-style-type: none"> · Class · Label 	<p>2.1 Gases. 2.1</p>
<ul style="list-style-type: none"> · IATA 	
<ul style="list-style-type: none"> · Class · Label 	<p>2.1 Gases. 2.1</p>
<ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA 	<p>Void</p>
<ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR): 	<p>Product contains environmentally hazardous substances: Permethrin (ISO) Yes Symbol (fish and tree) Symbol (fish and tree)</p>
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Code · Segregation Code 	<p>Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.</p>
<ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code 	<p>Not applicable.</p>

(Contd. on page 10)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 9)

· **Transport/Additional information:**· **ADR**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

· **Transport category**

2

· **Tunnel restriction code**

D

· **Remarks:**

Transportation as "LIMITED QUANTITIES" according 3.4 ADR is possible.

Sole marking: Sign for "Limited Quantities" (rhombus with two black edges)

Entry in the transportation document: Transportation according chapter 3.4 ADR

Tunnel category "E" in case of a load of 8000 kg (rgross weight) or more.

Hazardous goods under the transport regulations listed above may be subject to special regulations. For details please consult the relevant transport regulations

· **IMDG**· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

· **UN "Model Regulation":**

UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

* **SECTION 15: Regulatory information**· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **Seveso category**

E1 Hazardous to the Aquatic Environment

P3a FLAMMABLE AEROSOLS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **National regulations:**· **Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 11)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 21.12.2021

Revision: 21.12.2021

Trade name: ARDAP Fogger Flea Fumigator

(Contd. of page 10)

Class	Share in %
I	0.3
NK	20.2

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - DNEL: Derived No-Effect Level (REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Flam. Gas 1A: Flammable gases – Category 1A
 - Aerosol 1: Aerosols – Category 1
 - Press. Gas (Liq.): Gases under pressure – Liquefied gas
 - Flam. Liq. 2: Flammable liquids – Category 2
 - Acute Tox. 4: Acute toxicity – Category 4
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 - Skin Sens. 1: Skin sensitisation – Category 1
 - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 - Asp. Tox. 1: Aspiration hazard – Category 1
 - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- *** Data compared to the previous version altered.**

GB